

A-Core Container

45A battery inverter

Lithium battery parameters

Product capacity: 100Ah

Product size: 135*197*35mm

Product weight: 1.82kg 197mm
/7.7in

Product voltage: 3.2V

internal resistance: within 0.5



Overview

How does the Iota DLS 45A power converter work?

The Iota DLS 45A Power Converter/Battery Charger converts nominal 108-132 AC voltage to 13.4 DC voltage for both DC load operation and 12V battery charging. As a power supply, the unit's tightly controlled regulation allows the user to operate a nominal 12VDC load up to 45 amps.

Which batteries are compatible with LiTime inverter charger?

Compatible with Most Batteries: DC 12V to 120V AC inverter charger is compatible with 12 volt Lithium batteries (LiFePO4 Lithium Battery), AGM, GEL, SLA, CA and etc. LiTime inverter charger is compatible with almost all popular 12v battery types, and it has the function of lithium battery activation.

What is a 45A MPPT solar charge controller?

This 45A MPPT solar charge controller with innovative MPPT technology and a remarkable tracking efficiency of up to 99%. With a peak conversion efficiency of 98%, this controller ensures maximum utilization of solar energy and provides optimal charging performance.

What battery options does a 45amp charge controller support?

Choose from multiple battery options with ease. This 45Amp charge controller supports Deep Cycle Sealed, Gel, Flooded, and Lithium batteries, offering flexibility for your energy storage needs. It automatically detects 12V, 24V DC system voltages, ensuring compatibility across a wide range of setups.

What is a 3000W pure sine wave inverter charger?

Reliable Inverter Charger: The 3000W pure sine wave inverter charger provides all-around protection for all equipment by providing low voltage protection, over voltage protection, over heat prevention, output overload protection and output short circuit protection, Among other features.

45A battery inverter

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://a-core.pl>